Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040066699"	US-PGPUB	ADJ	ON	2005/07/06 14:55
S2	28995	((drive or storage or HDD or device) near3 (configur$5)) same (characteristic or attribute or feature or propert$3 or aspect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/10 12:21
S3	8652	711/147 or 711/170 or 711/172 or 711/112 or 713/1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 10:16
S5	13057	((drive or storage or HDD or device) near3 (configur$5)) with (characteristic or attribute or feature or propert$3 or aspect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:23
S7	2013	((drive or storage or HDD or device) near3 (configur$5)) with (characteristic or attribute or feature or propert$3 or aspect) and (initializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:06
S8	123	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 10:19
S11	1273	((drive or storage or HDD or device) near3 (configur$5)) with (characteristic or attribute or feature or propert$3) and (initializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:59
S12	70	S3 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 11:06
S13	2	("6,578.091" "5.909.592" "5,822.614" "5,721" ",952" "5,430,855" "5,237,689").pn.	USPAT	OR	ON	2005/07/11 11:50
S14	6	("6,578,091" "5,909,592" "5,822,614" "5,721,952" "5,430,855" "5,237,689").pn.	USPAT	OR	ON	2005/07/11 11:59

S15	76	((drive or storage or HDD or device) near3 (configur$5)) with (characteristic or attribute or feature or propert$3) same (initializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:00
S17	33	((drive or storage or HDD or device) near3 (configur$5)) with (characteristic or attribute or feature or propert$3) with (initializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:11
S18	6	((drive or storage or HDD or device) near4 (configur$5) near4 (initializ$5)) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:13
S19	13	((drive or storage or HDD or device) near4 (initializ$5)) with (characteristic or attribute) near4 (configur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:14
S20	13	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/07/11 12:14
S21	1	"6578091".pn.	USPAT	ADJ	ON	2005/10/10 12:15
S22	38	(drive or HDD or device or DASD) near8 (configur$5) near8 (initializ$5) with (characteristic or attribute or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/10 12:23
S23	1	"5909592".pn.	USPAT	ADJ	ON	2005/10/10 12:39
S24	1	"5822614".pn.	USPAT	ADJ	ON	2005/10/10 12:46
S25	1	"5721952".pn.	USPAT	ADJ	ON	2005/10/10 12:52
S26	1	"5430855".pn.	USPAT	ADJ	ON	2005/10/10 12:52
S27	1	"5430855".pn.	USPAT	ADJ	ON	2005/10/28 09:39
S28	1	"5237689".pn.	USPAT	ADJ	ON	2005/10/28 09:39
S29	7845	(711/170 or 711/171 or 711/172 or 711/173 or 711/112 or 711/147)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:22
S30	1	"5237689".pn.	USPAT	ADJ	ON	2005/10/28 10:21

S31	10962	(711/170 or 711/171 or 711/172 or 711/173 or 711/112 or 711/147 or 713/1 or 710/10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:22
S32	4359	(drive or storage or HDD or device) near3 (configur$5) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:31
S33	115	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:24
S34	57	S31 and S32 and (capacity or emulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29
S35	58	S33 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29
S36	10	(drive or HDD or device or DASD) near3 (configur$5) with (characteristic or attribute) with initializ$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:38
S37	820325	HITACHI.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:37
S39	47321	(drive or HDD or device or DASD) and (configur$5) and (characteristic or attribute) and initializ$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:38

S41	13	(drive or HDD or device or DASD) near20 (configur$5) near20 (characteristic or attribute) near20 initializ$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39
S42	243	(drive or HDD or device or DASD) same (configur$5) same (characteristic or attribute) same initializ$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39
S43	3	S37 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:39

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Advanced Search**   BROWSE   SEARCH   IEEE XPLORE GUIDE

OPTION 1
Enter keywords or phrases, select fields, and select operators   ⑦ **Help**

[_____] **in** All Fields

[AND ▼] [_____] **in** All Fields

[AND ▼] [_____] **in** All Fields

» **Note:** If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression   ⑦ **Help**

```
(drive* or HDD or device* or DASD) and
(configur*) and (characteristic* or
attribute*) and initializ*

                              #1  o hits
```

» **Note:** You may use the search operators <and> or <or>
without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**
  ⦿ Select publications
    ☑ IEEE Periodicals
    ☑ IEE Periodicals
    ☑ IEEE Conference I
    ☑ IEE Conference Pr
    ☑ IEEE Standards

» **Other Resources** (Availab
    ☑ IEEE Books

» **Select date range**
  ○ Search latest content u
  ⦿ From year [All ▼]
         to [Present ▼]

» **Display Format**
  ⦿ Citation   ○ Citatio

» **Organize results**
  Maximum [100 ▼]
  Display [25 ▼] resu
  Sort by [Relevance]
  In [Descending]

Indexed by
⊞Inspec®

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

□ **Advanced Search**   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

OPTION 1
Enter keywords or phrases, select fields, and select operators   **? Help**

[   ] in All Fields   [⬍]

[AND ▼] [   ] in All Fields   [⬍]

[AND ▼] [   ] in All Fields   [⬍]

[▬▬▬▬] [▬▬▬]

» Note: If you use all three search boxes, the entries in the first two boxes
takes precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression   **? Help**

```
(drive* or HDD or device* or DASD)
<sentence> (configur*) <sentence>
(characteristic* or attribute*)

                          #2   115 hits)
```

[▬▬▬▬] [▬▬▬]

» Note: You may use the search operators <and> or <or>
    without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**
  ⦿ Select publications
      ☑ IEEE Periodicals
      ☑ IEE Periodicals
      ☑ IEEE Conference I
      ☑ IEE Conference Pr
      ☑ IEEE Standards

» **Other Resources** (Availab
      ☑ IEEE Books

» **Select date range**
  ○ Search latest content u
  ⦿ From year [All ▼]
              to [Present ▼]

» **Display Format**
  ⦿ Citation   ○ Citatio

» **Organize results**
  Maximum [100 ▼]
  Display [25 ▼] resu
  Sort by [Relevance]
      In [Descending]

Help   Contact Us
© Copyright 2C

Indexed by
⊞ Inspec

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Advanced Search**   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

OPTION 1
Enter keywords or phrases, select fields, and select operators   ② **Help**

[   ] **in** All Fields

[AND ☑] [   ] **in** All Fields

[AND ☑] [   ] **in** All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

OPTION 2
Enter keywords, phrases, or a Boolean expression   ② **Help**

```
(drive* or HDD or device* or DASD)
<sentence> (configur*) <sentence>
(characteristic* or attribute*) and
(hardware or type or base)

                    #3    49 hits
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

◉ Select publications

☑ IEEE Periodicals

☑ IEE Periodicals

☑ IEEE Conference I

☑ IEE Conference Pi

☑ IEEE Standards

» **Other Resources** (Availab

☑ IEEE Books

» **Select date range**

○ Search latest content u|

◉ From year [All ☑]

to [Present ☑]

» **Display Format**

◉ Citation   ○ Citatio

» **Organize results**

Maximum [100 ☑]

Display [25 ☑] resu

Sort by [Relevance]

In [Descending]

Help   Contact Us

© Copyright 2C

Indexed by
Inspec®

IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Search Session History**

BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or
compose a new query in the
Search Query Display.

Fri, 28 Oct 2005, 11:02:08 AM EST

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   (((drive* or hdd or device* or dasd) and(configur*) and
(characteristic* or attribute*) and initializ*)<in>metadata)

#2   (((drive* or hdd or device* or dasd) <sentence> (configur*)
<sentence> (characteristic* or attribute*))<in>metadata)

#3   (((drive* or hdd or device* or dasd) <sentence> (configur*)
<sentence> (characteristic* or attribute*) and (hardware or type
or base))<in>metadata)

Help   Contact Us   Privacy & :

Indexed by
ℛInspec*

ACM Search History

+abstract:configur* +abstract:attribute* ... 46 hits

+abstract:configur* and +abstract:characteristic*
+abstract:drive* ... 5 hits

+abstract:configur* and +abstract:characteristic*
+abstract:device* ... 14 hits

10/28/05